# Cedar town in country



Jumpers, Cardigans, Suit, Vest, Tunic and Singlet.



# Why making it with Patons makes it really worthwhile . . .

Every year Patons makes up thousands and thousands of garments to ensure that each individual pattern is perfected in every size stated and every Patons yarn specified—of vital importance to the shape of your finished garment.

And once in shape—always in shape. No shrinking. No stretching. Patons promise it. With over 180 years of experience to draw on, the people at Patons don't pay lip service to quality, they work at it constantly. That's why making it with Patons makes it really worthwhile.



Beautiful Cedar is all living wool.

A bubbly mixture of colours, it knits up with a tweedy look. And like all Patons yarns, Cedar won't get the shrinks or stretches. So don't risk disappointment. Make it with Patons.

### No. 1—Cardigan (opposite)

### **CAUTION!**

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

		A	В	С	D
Fits bust	ins.	32	36	40	44
	cm	81	91	102	112
Measures	ins.	32	36	401	4 441/4
	cm	81	91	102	112
Quantity	50 g balls	10	11	11	12
Sleeve seam	ins.	17	17	17	17
	cm	43	43	43	43
		(or	length	des	ired)

### NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters .... 1 pair each Nos. 10 and 13
Average Knitters .... 1 pair each Nos. 9 and 12
Tight Knitters .... .... 1 pair each Nos. 8 and 11


Needles in instructions are for Average Knitters. A Stitch Holder.

Milward Tapestry Needle for sewing seams. 7 Buttons.

### ABBREVIATIONS—See page 19.

Instructions are for size A. Sizes B, C, and D are shown [B...] [C...] [D...]. Where one set of figures is given, this applies to all sizes.

### TENSION-111/2 stitches to 2 ins. (5 cm),



Needle size depends on your tension which should be 11½ stitches to 2 in. (5 cm) in width measured over plain smooth fabric See also

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK

Using No. 12 Needles, cast on 98  $[\mathbf{B}\ 110]$   $[\mathbf{C}\ 122]$   $[\mathbf{D}\ 134]$  stitches.

1st row (wrong side)—Knit.

Rep. 1st row 20 times.

Using No. 9 Needles, proceed as follows-

\*\* 1st row—Knit. 2nd row—Purl.

3rd row—Knit.

4th row-P.2, \* K.4, P.2, rep. from \* to end.

Rep. 3rd and 4th rows 3 times. \*\*


Rep. from \*\* to \*\* until work measures 14½ ins. (37 cm) from commencement, working last row on wrong side. \*\*\*

Keeping continuity of patt., shape raglan armholes as follows—

1st and 2nd rows—Cast off 3 sts., work to end. \*\*\*\* 3rd row—K.2, slip 1, K.1, p.s.s.o., patt. to last 4 sts., K.2 tog., K.2.

4th row-P.3, patt. to last 3 sts., P.3.

<sup>\*</sup>Suggested Retail Selling Price



The classic cardigan. With a fashioned ragian sleeve. Bands in garter stitch. Fabric features blocks of garter stitch between vertical lines of plain smooth fabric.

A, B and C only—5th row—K.3, patt. to last 3 sts., K.3. 6th row—P.2, P.2 tog., patt. to last 4 sts., P.2 tog.t.b.l., P.2.

**7th row**—As 5th row. **8th row**—As 4th row. \*\*\*\*

Rep. rows 3 to 8 incl. until 54 [**B** 78] [**C** 102] sts. remain.

Work 1 row.

All Sizes—Rep. 3rd and 4th rows until 28 [B 30] [C 32] [D 34] sts. remain.

Work 1 row. Cast off.

### LEFT FRONT.

Using No. 12 Needles, cast on 50 [B 56] [C 62] [D 68] stitches.

Work as given for Back to \*\*\*.

Keeping continuity of patt., shape raglan armhole and front slope as follows—

1st row-Cast off 3 sts., patt. to end.

2nd row-Patt. to last 3 sts., P.3.

**3rd row**—K.2, slip 1, K.1, p.s.s.o., patt. to last 2 sts., slip 1, K.1, p.s.s.o.

A, B and C only-4th row-As 2nd row.

5th row-K.3, patt. to end.

6th row-Patt. to last 4 sts., P.2 tog.t.b.l., P.2.

7th row—As 5th row. 8th row—As 4th row.

Rep. rows 3 to 8 incl. 8 [B 5] [C 2] times.

All Sizes—Dec. (as before) at armhole edge in next row and every alt. row 12 [B 23] [C 34] [D 44] times, whilst at same time dec. at front edge in every 6th row from previous dec. 2 [B 7] [C 12] [D 14] times, A, B and D only—then in every following 8th [B 8th] [D 4th] row twice [B once] [D once]. (3 sts.)

Next row-P.3.

Next row-K.1, slip 1, K.1, p.s.s.o.

Next row-P.2, turn, K.2 tog. Fasten off.

### RIGHT FRONT.

Work to correspond with Left Front, working "K 2 tog." in place of "slip 1, K.1, p.s.s.o." and "P.2 tog." in place of "P.2 tog.t.b.l."

### SLEEVES.

Using No. 12 Needles, cast on 50 [**B** 50] [**C** 56] [**D** 56] stitches.

1st row (wrong side)—Knit.

Rep. 1st row 20 times.

Work in patt. as given from \*\* to \*\* for Back, inc. at each end of 5th row and every following 10th [B 8th] [C 8th] [D 6th] row until there are 76 [B 82] [C 88] [D 94] sts.

Continue in patt, until side edge measures 17 ins. (43 cm) (or length desired) from commencement, working last row on wrong side.

Shape raglan as follows-

1st and 2nd rows—Cast off 3 sts., work to end. Work as given from \*\*\*\* to \*\*\*\* for Back, noting that all sizes will be worked as given for Sizes A, B and C.

Rep. rows 3 to 8 incl. until 28 [**B** 38] [**C** 48] [**D** 58] sts. remain.

Work 1 row.

Rep. 3rd and 4th rows until 8 sts. remain.

Work 1 row. Cast off,

### FRONT BAND.

Using back-stitch, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline.

Using No. 12 Needles, cast on 8 stitches.

1st row (wrong side)-Knit.

Rep. 1st row 4 times.

6th row-K.3, cast off 2 sts., K.3.

7th row-K.3, cast on 2 sts., K.3.

Knit 30 rows.

Rep. last 32 rows 6 times. (7 buttonholes.)

Continue until band is length required (slightly stretched) to fit along fronts and around neck, Cast off.

### MAKE UP.

**DO NOT PRESS.** Using back-stitch, sew up side and sleeve seams and sew front band in position, placing buttonholes on right front. Sew on buttons.

### No. 2—Jumper (opposite)

### **CAUTION!**

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

Fits bust Measures	ins. cm ins. cm	<b>A</b> 32 81 32 81	<b>B</b> 34 86 34 86	36 91 36 91	38 97 38 97	40 102 40 102	# 42 107 42 107
Quantity— 50 g l	palls	10	10	11	11	12	12
Length	ins. cm	24 61	241⁄4 62	24½ 62	24¾ 63	25 63	25¼ 64
Sleeve seam	ins. cm	17 43	17 43 (or l	17 43 ength	17 43 desir	17 43 red)	17 43

### NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters-

1 pair each Nos. 10 and 13, 1 set each Nos. 10 and 13

Average Knitters—

1 pair each Nos. 9 and 12, 1 set each Nos. 9 and 12 Tight Knitters—

1 pair each Nos. 8 and 11, 1 set each Nos. 8 and 11 Needles in instructions are for Average Knitters.


2 Stitch Holders.

Milward Tapestry Needle for sewing seams. 6 Buttons.

### **ABBREVIATIONS**—See page 19.

Instructions are for size A. Sizes B, C, D, E and F are shown [B...][C...][D...][E...][F...]. Where one set of figures is given, this applies to all sizes.

TENSION-111/2 stitches to 2 ins. (5 cm).



Needle size depends on your tension which should be 11½ stitches to 2 In. (5 cm) in width measured over plain smooth tabric See also page 19

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 12 Needles, cast on 98  $[B\ 102]\ [C\ 110]\ [D\ 114]\ [E\ 122]\ [F\ 126]$  stitches.

1st row-K.2, \* P.2, K.2, rep. from \* to end.

2nd row-P.2, \* K.2, P.2, rep. from \* to end.

Rep. 1st and 2nd rows 10 times, [B, D and F only—inc. twice In last row of rib.] (98 [B 104] [C 110] [D 116] [E 122] [F 128] sts.)

Using No. 9 Needles, proceed as follows-

1st row—K.2, \* P.4, K.2, rep. from \* to end.

2nd row-P.2, \* K.4, P.2, rep. from \* to end.

3rd and 4th rows-Knit.

5th row—P.3, \*. K.2, P.4, rep. from \* to last 5 sts., K.2, P.3.

6th row—K.3, \* P.2, K.4, rep. from \* to last 5 sts., P.2, K.3.


7th and 8th rows-Knit.

Rows 1 to 8 incl. form patt.

Continue in patt. until work measures 15 ins. (38 cm) from commencement, working last row on wrong side. Keeping continuity of patt., shape raglan armholes as follows—

1st and 2nd rows-Cast off 3 sts., patt. to end.

A and B only—Dec. at each end of next row and every following 4th row 3 [B 2] times. (84 [B 92] sts.) Work 1 row.



Polo-necked ragian sleeved jumper. All-over broken rib. Polo collar has buttoned opening. Open for normal style collar. Buttoned for polo effect. Bands in K.2, P.2.

[**D, E and F only**—Dec. at each end of next 3 rows. Work 1 row in patt. ([**D** 104] [**E** 110] [**F** 116] sts.)] [**E and F only**—Rep. last 4 rows [**E** 2] [**F** 3] times. (98 sts.)] \*\*

All Sizes—Dec. at each end of next row and every alt. row until 28 [B 30] [C 30] [D 32] [E 32] [F 34] sts. remain.

Work 1 row.

Slip remaining sts. on to a stitch holder and leave.

FRONT-Work as given for Back to \*\*.

Dec. at each end of next and every alt. row until 54 [B 56] [C 58] [D 60] [E 62] [F 64] sts. remain. Work 1 row.

Shape neck as follows-

1st row—Work 2 tog., patt. 20 [B 20] [C 22] [D 22] [E 24] [F 24], turn.

Dec. at each end of every alt. row 5 [B 5] [C 6] [D 6] [E 7] [F 7] times. (11 sts.)

Dec. at armhole edge in every alt. row 7 times, whilst at same time dec. at neck edge in every 4th row twice. (2 sts.)

Next row—Work 2, turn, work 2 tog. Fasten off. Slip next 10 [B 12] [C 10] [D 12] [E 10] [F 12] sts. on to a stitch holder and leave.

Join yarn to remaining sts. and work to correspond with other side.

### SLEEVES.

Using No. 12 Needles, cast on 50 stitches.

Work 24 rows in rib as for Back, omitting incs.

Using No. 9 Needles, work in patt. as given for Back, inc. at each end of 5th row and every 8th [B 8th] [C 6th] [D 6th] [E 4th] [F 4th] row until there are 64 [B 78] [C 70] [D 80] [E 60] [F 72] sts., A, C, D, E and F only—then in every following 10th [C 8th] [D 8th] [E 6th] [F 6th] row until there are 74 [C 82] [D 84] [E 88] [F 92] sts.

Keeping continuity of patt., work until side edge measures 17 ins. (43 cm) (or length desired) from commencement, working last row on wrong side.

Shape ragian as follows-

1st and 2nd rows-Cast off 3 sts., patt. to end.

Dec, at each end of next row and every 4th row 5 [B 4] [C 3] [D 3] [E 2] [F 1] time/s, then in every alt, row until 8 sts. remain.

Work 1 row. Cast off.

### POLO COLLAR.

Using back-stitch, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline. With right side facing, slip first 3 [B 4] [C 3] [D 4] [E 3] [F 4] sts. from front stitch holder on to a safety pin. Using set of No. 12 Needles, knit across remaining sts., knit up 30 [B 32] [C 33] [D 35] [E 36] [F 38] sts.

along right side of neck and across top of sleeve, knit across back neck sts., knit up 30 [B 32] [C 33]  $[\mathbf{D}\ 35]\ [\mathbf{E}\ 36]\ [\mathbf{F}\ 38]$  sts. evenly across top of sleeve and along left side of neck, knit across sts. on safety pin and cast on 4 stitches. (102 [B 110] [C 110] [**D** 118] [**E** 118] [**F** 126] sts.)

1st row—K.6, \* P.2, K.2, rep. from \* to last 4 sts., K.4.

2nd row-K.4, \* P.2, K.2, rep. from \* to last 6 sts., P.2, K.4.

Rep. 1st and 2nd rows once, then 1st row once.

6th row-K.2, y.fwd., K.2 tog. (buttonhole), rib to end. Work 9 rows.

Rep. last 10 rows once, then using set of No. 9 Needles rep. last 10 rows twice, then 6th row once. Work 3 rows. Cast off in rib.

### MAKE UP.

DO NOT PRESS. Using back-stitch, sew up side and sleeve seams. Sew underlap in position. Sew on buttons.

### No. 3—Jumper (opposite)

### CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no respon-sibility if other yarns are used.

### PATONS CEDAR

Fits bust Measures	ins. cm ins. cm	<b>A</b> 32 81 32 81	<b>B</b> 34 86 34 86	<b>C</b> 36 91 36 91	38 97 38 97	40 102 40 102	# 42 107 42 107
Quantity— 50 g	oalls	13	13	14	14	14	15
Length Sleeve seam	ins. cm ins. cm	24 61 17 43	241/4 62 17 43 (or l	24½ 62 17 43 ength	24 <sup>3</sup> / <sub>4</sub> 63 17 43 desi	63 17 43	251⁄4 64 17 43

### NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters	1	pair	each	Nos.	10	and	13
Average Knitters	1	pair	each	Nos.	9	and	12
Tight Knitters	1	pair	each	Nos.	8	and	11


Needles in instructions are for Average Knitters. Milward Tapestry Needle for sewing seams,

### ABBREVIATIONS—See page 19.

"Inc." = Pick up loop which lies before next st., place on left hand needle and knit t.b.l.

Instructions are for size A. Sizes B, C, D, E and F are shown [B . . .] [C . . .] [D . . .] [E . . .] [F . . .]. Where one set of figures is given, this applies to all sizes.

### -111/2 stitches to 2 ins. (5 cm).



Needle size depends on your tension which should be 111/2 stitches to 2 in. (5 cm) in width measured over plain smooth fabric

page 19

See also

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 12 Needles, cast on 98 [B 104] [C 110] [D 116] [E 122] [F 128] stitches.

1st row (wrong side)-Knit.

2nd row-Knit

Rep. 2nd row 7 times.

Using No. 9 Needles, proceed as follows-

1st row-Knit. 2nd row-Purl. 3rd row-Knit.

Rows 1 to 3 incl. form patt.

4th row-K.2, K.2 tog., knit to last 4 sts., slip 1, K.1, p.s.s.o., K.2.

Keeping continuity of patt., dec. (as before) at each end of every 6th row until 70 [B 76] [C 82] [D 88] [E 94] [F 100] sts. remain.

Patt. 5 rows.

Next row-K.2, "Inc.", knit to last 2 sts., "Inc.", K.2. Inc. (as before) at each end of every 6th row until there are 78 [B 84] [C 90] [D 96] [E 102] [F 108] sts., then in every following 8th row until there are 92 [B 98] [C 104] [D 110] [E 116] [F 122] sts.

Patt. 6 rows.

Shape armholes as follows-

Cast off 4 [B 5] [C 6] [D 6] [E 7] [F 8] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt, row until 72 [B 74] [C 76] [D 80] [E 82] [F 84] sts. remain. \*\*

Patt. 63 [B 63] [C 65] [D 65] [E 65] [F 65] rows.

Shape shoulders as follows-

Cast off 8 [B 8] [C 8] [D 9] [E 9] [F 9] sts. at beg. of next 4 rows, then 7 [B 8] [C 8] [D 8] [E 8] [F 9] sts. sts. at beg. of following 2 rows. Cast off.

FRONT—Work as given for Back to \*\*.

Patt. 29 [B 27] [C 29] [D 29] [E 27] [F 27] rows.

Shape neck as follows-

1st row—Work 31 [B 32] [C 33] [D 35] [E 36] [F 37], cast off 10 sts., work to end.

Continue on last 31 [B 32] [C 33] [D 35] [E 36] [F 37] sts., dec. at neck edge in every alt. row 4 [B 4]



Beautifully textured jumper with dominating collar interest. Garter stitch bands, set in sleeves. Shaped waistline. Contrasting rows of plain smooth fabric and purl fabric provide the texture.

[C 5] [D 5] [E 6] [F 6] times, then in every following 4th row 4 times. (23 [B 24] [C 24] [D 26] [E 26] [F 27] sts.)

Patt. 10 [B 12] [C 10] [D 10] [E 10] [F 10] rows.

Shape shoulder as follows-

Cast off 8 [B 8] [C 8] [D 9] [E 9] [F 9] sts. at beg. of next row and following alt. row.

Work 1 row. Cast off.

Join yarn to remaining sts. and work to correspond with other side.

### SLEEVES.

Using No. 12 Needles, cast on 47 [**B** 47] [**C** 49] [**D** 49] [**E** 51] [**F** 51] stitches.

1st row (wrong side)—Knit. 2nd row-Knit.

Rep. 2nd row 7 times.

Using No. 9 Needles, work in patt. as given for Back, inc. at each end of 5th row and every following 14th

[B 12th] [C 10th] [D 10th] [E 10th] [F 8th] row until there are 69 [B 73] [C 63] [D 81] [E 83] [F 87] sts.,

[C only—then in every following 12th row until there are 77 sts.]

Continue in patt. until side edge measures 17 ins. (43 cm) (or length desired) from commencement, working last row on wrong side.

Shape top as follows-

Cast off 2 [B 2] [C 3] [D 3] [E 4] [F 4] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt. row until 17 [B 25] [C 21] [D 25] [E 21] [F 25] sts. remain, then in every row until 15 sts. remain. Cast off.

### COLLAR.

Using No. 9 Needles, cast on 206  $[B\ 210]$   $[C\ 214]$   $[D\ 218]$   $[E\ 224]$   $[F\ 230]$  stitches.

**1st row** (wrong side)—Knit. **2nd row**—Knit. Rep. 2nd row 3 times.

6th row—K.17 [B K.16] [C K.18] [D K.18] [E K.18] [F K.19], (K.2 tog., K.32 [B K.33] [C K.33] [D K.34] [E K.35] [F K.36]) 5 times, K.2 tog., K.17 [B K.17] [C K.19] [D K.18] [E K.19] [F K.19]. (200 [B 204] [C 208] [D 212] [E 218] [F 224] sts.)

7th row—Purl. 8th row—Knit. 9th row—Knit. 10th row—Purl. 11th row—Knit.

12th row—K.17 [B K.16] [C K.18] [D K.18] [E K.18] [F K.19], (K.2 tog., K.31 [B K.32] [C K.32] [D K.33] [E K.34] [F K.35]) 5 times, K.2 tog., K.16 [B K.16] [C K.18] [D K.17] [E K.18] [F K.18]. (194 [B 198] [C 202] [D 206] [E 212] [F 218] sts.)

Rep. rows 7 to 11 incl. once.

18th row—K.16 [B K.15] [C K.17] [D K.17] [E K.17] [F K.18], (K.2 tog., K.30 [B K.31] [C K.31] [D K.32] [E K.33] [F K.34]) 5 times, K.2 tog., K.16 [B K.16] [C K.18] [D K.17] [E K.18] [F K.18]. (188 [B 192] [C 196] [D 200] [E 206] [F 212] sts.)

Rep. rows 7 to 11 incl. once.

24th row—K.16 [B K.15] [C K.17] [D K.17] [E K.17] [F K.18], (K.2 tog., K.29 [B K.30] [C K.30] [D K.31] [E K.32] [F K.33]) 5 times, K.2 tog., K.15 [B K.15] [C K.17] [D K.16] [E K.17] [F K.17]. (182 [B 186] [C 190] [D 194] [E 200] [F 206] sts.)

Continue dec. in this manner in every 6th row until 104 [B 108] [C 112] [D 116] [E 122] [F 128] sts. remain. Patt. 5 rows. Cast off.

### MAKE UP.

DO NOT PRESS. Using back-stitch, sew up side, shoulder, sleeve and collar seams and sew in sleeves, matching seams. Using a flat seam, sew collar to neckline, easing to fit.

### No. 4—Long Cardigan (opposite)

### **CAUTION!**

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

	A	В	С	D	E
ins.	32	34	36	38	40
cm	81	86	91	97	102
ins.	32	34	36	38	40
cm	81	86	91	97	102
balls	12	13	13	14	14
ins.	33	331/4	331/2	33¾	34
cm	84	85	85	86	86
ins.	17	17	17	17	17
cm	43	43	43	43	43
	(	or len	gth de	esirec	l)
	cm ins. cm balls ins. cm ins.	ins. 32 cm 81 ins. 32 cm 81 ins. 32 cm 81 ins. 33 cm 84 ins. 17 cm 43	ins. 32 34 86 ins. 32 34 cm 81 86 ins. 32 34 cm 81 86 ins. 33 331/4 cm 84 85 ins. 17 17 cm 43 43	ins. 32 34 36 cm 81 86 91 ins. 32 34 36 cm 81 86 91 ins. 32 34 36 cm 81 86 91 ins. 33 33¼ 33½ cm 84 85 85 ins. 17 17 17 cm 43 43 43	ins. 32 34 36 38 cm 81 86 91 97 ins. 32 34 36 38 cm 81 86 91 97 ins. 32 34 36 38 cm 81 86 91 97 ins. 33 33¼ 33½ 33¾ cm 84 85 85 86 ins. 17 17 17 17

### NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters .... 1 pair each Nos. 10 and 13

Average Knitters .... 1 pair each Nos. 9 and 12

Tight Knitters .... .... 1 pair each Nos. 8 and 11

Needles in instructions are for Average Knitters.

A Cable Needle. A Stitch Holder.

Milward Tapestry Needle for sewing seams.

### ABBREVIATIONS—See page 19.


"Cable 6F" = Slip next 3 sts. on to cable needle and leave at front of work, K.3, then K.3 from cable needle.

"Cable 6B" = Slip next 3 sts. on to cable needle and leave at back of work, K.3, then K.3 from cable needle

"Inc." = Pick up loop which lies before next st., place on left-hand needle and work t.b.l.

Instructions are for size A. Sizes B, C, D and E are shown  $[B\ldots]$   $[C\ldots]$   $[D\ldots]$   $[E\ldots]$ . Where one set of figures is given, this applies to all sizes.

TENSION-111/2 stitches to 2 ins. (5 cm).



Needle size depends on your tension which should be 11½ stifches to 2 in. (5 cm) in width measured over plain smooth fabric See also page 19

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 9 Needles, cast on 127 [**B** 131] [**C** 139] [**D** 143] [**E** 151] stitches.

1st row—K.2, \* P.1, K.1, rep. from \* to last st., K.1. 2nd row—K.1, \* P.1, K.1, rep. from \* to end.

Rep. 1st and 2nd rows 4 times.

11th row—Knit. 12th row—Purl.

Rep. 11th and 12th rows 8 times.

29th row—K.2 tog., K.29 [B K.30] [C K.32] [D K.33] [E K.35], K.2 tog., K.61 [B K.63] [C K.67] [D K.69] [E K.73], slip 1, K.1, p.s.s.o., knit to last 2 sts., slip 1, K.1, p.s.s.o.

Work 15 rows.

Next row—K.2 tog., K.28 [B K.29] [C K.31] [D K.32] [E K. 34], K.2 tog., K.59 [B K.61] [C K.65] [D K.67] [E K.71], slip 1, K.1, p.s.s.o., knit to last 2 sts., slip 1, K.1, p.s.s.o.

Dec. in this manner in every 16th row until 95  $[B\ 99]$   $[C\ 107]$   $[D\ 111]$   $[E\ 119]$  sts. remain.

Work 9 rows, dec. once in middle of last row. (94 [B 98] [C 106] [D 110] [E 118] sts.)

Next row—K.2, \* P.2, K.2, rep. from \* to end.

Next row-P.2, \* K.2, P.2, rep. from \* to end.

Rep. last 2 rows 8 times, dec. [B inc.] [C dec.] [D inc.] [E dec.] once in middle of last row. (93 [B 99] [C 105] [D 111] [E 117] sts.)

Next row—Knit. Next row—Purl.

Rep. last 2 rows until work measures 24¾ ins. (76 cm) from commencement, working last row on wrong side. Shape armholes as follows—

1st and 2nd rows—Cast off 3 sts., work to end. 3rd row—K.2, slip 1, K.1, p.s.s.o., knit to last 4 sts., K.2 tog., K.2.



The long line cardigan with a fashioned raglan. Wear as a mini or over slacks. Cable panel runs down each front. Waistband in K.2, P.2 rib. All other bands K.1, P.1 rib.

4th row-Purl. 5th row-Knit.

6th row—P.2, P.2 tog., purl to last 4 sts., P.2 tog.t.b.l., P.2

7th row-Knit. 8th row-Purl.

Rep. rows 3 to 8 incl. until 41 [B 55] [C 65] [D 79] [E 89] sts. remain, 4th row once, then 3rd and 4th rows until 37 [B 37] [C 39] [D 39] [E 41] sts. remain. Work 1 row. Cast off.

### LEFT FRONT.

Using No. 9 Needles, cast on 65 [**B** 67] [**C** 71] [**D** 73] [**E** 77] stitches.

Work 10 rows rib as given for Back. \*\*
Work patt, as follows—

1st row—K.26 [B K.26] [C K.26] [D K.30] [E K.30], P.2, K.14, P.2, K.21 [B K.23] [C K.27] [D K.25] [E K.29]. 2nd row—P.21 [B P.23] [C P.27] [D P.25] [E P.29] K.2, P.14, K.2, P.26 [B P.26] [C P.26] [D P.30] [E P.30]. Rep. 1st and 2nd rows 3 times.

9th row—K.26 [B K.26] [C K.26] [D K.30] [E K.30], P.2, "Cable 6F", K.2, "Cable 6B", P.2, K.21 [B K.23] [C K.27] [D K.25] [E K.29],

Rep. 2nd row once, then 1st and 2nd rows 3 times. 17th row—K.26 [B K.26] [C K.26] [D K.30] [E K.30], P.2, "Cable 6B", K.2, "Cable 6F", P.2, K.21 [B K.23] [C K.27] [D K.25] [E K.29].

18th row-As 2nd row.

Rows 1 to 18 incl. form patt.

**19th row**—K.2 tog., K.24 [**B** K.24] [**C** K.24] [**D** K.28] [**E** K.28], P.2, K.14, P.2, K.2 tog., knit to end.

Keeping continuity of patt., dec. (at side edge and edge of cable panel) as before, in every 16th row until 49 [B 51] [C 55] [D 57] [E 61] sts. remain.

Work 8 rows.

Next row—P.10, "inc." [B P.2 tog.] [C P.2 tog.] [D "inc."] [E "inc."], patt. to end. (50 [B 50] [C 54] [D 58] [E 62] sts.)

**Next row**—K.2, \* P.2, K.2, rep. from \* to end. **Next row**—P.2, \* K.2, P.2, rep. from \* to end.

Rep. last 2 rows 7  $[\boldsymbol{B}\ 7]\ [\boldsymbol{C}\ 7]\ [\boldsymbol{D}\ 8]\ [\boldsymbol{E}\ 7]$  times.

A, B, C and E only—Next row—K.2, \* P.2, K.2, rep. from \* to end.

Next row—Rib 4, P.2 tog. [**B** ("Inc.", rib 4) twice] [**C** "Inc."] [**E** P.2 tog.], rib to end. (49 [**B** 52] [**C** 55] [**E** 61] sts.)

All Sizes—Next row—K.18 [B K.18] [C K.18] [D K.22] [E K.22], P.2, "Cable 6B", K.2, "Cable 6F", P.2, knit to end.

Continue without shaping until work measures same as Back to underarm, working last row on wrong side. Shape armhole as follows—

1st row-Cast off 3 sts., patt. to end.

2nd row-Patt. to last 3 sts., P.3.

3rd row-K.2, slip 1, K.1, p.s.s.o., patt. to end.

4th row-Patt. to last 3 sts., P.3.

5th row-K.3, patt. to end.

6th row-Patt. to last 4 sts., P.2 tog.t.b.l., P.2.

7th row-K.3, patt. to end.

8th row—Patt. to last 3 sts., P.3.

Rep. rows 3 to 8 incl. until 29 [B 32] [C 35] [D 42] [E 47] sts. remain, [C, D and E only—then 2nd and 3rd rows until [C 33] [D 33] [E 35] sts. remain.]

A and B only-Work 2 rows.

All Sizes-Shape neck as follows-

**1st row**—Cast off 7 sts., patt. to last 4 [**B** 4] [**C** 3] [**D** 3] [**E** 3] sts., **A** P.2 tog.t.b.l., P.2 [**B** P.2 tog.t.b.l., P.2] [**C** P.3] [**D** P.3] [**E** P.3].

Dec. (as before) at armhole edge in A every 3rd [B 3rd] [C next row and every alt.] [D next row and every alt.] [E next row and every alt.] row from previous dec. 5 [B 1] [C 8] [D 8] [E 9] time/s, whilst at same time dec. at neck edge in every row 9 [B 3] [C 9] [D 9] [E 9] times, A, C, D and E only—then in every alt. row 3 [C 4] [D 4] [E 5] times. (4 sts.) [B only—Dec. (as before) at armhole edge in every alt. row 7 times, whilst at same time dec. at neck edge in every row 4 times, then in every alt. row 5 times. (4 sts.)

All Sizes-Proceed as follows-

1st row-P.4.

2nd row—K.2, slip 1, K.1, p.s.s.o.

3rd row-P.3.

4th row-K.1, slip 1, K.1, p.s.s.o.

5th row-P.2, turn, K.2 tog. Fasten off.

**RIGHT FRONT**—Work as given for Left Front to \*\*. Work patt. as follows—

**1st row**—K.21 [**B** K.23] [**C** K.27] [**D** K.25] [**E** K.29], P.2, K.14, P.2, K.26 [**B** K.26] [**C** K.26] [**D** K.30] [**E** K.30]. Keeping patt. correct as placed, complete to correspond with Left Front.

### SLEEVES.

Using No. 12 Needles, cast on 47 [B 49] [C 49] [D 51] [E 51] stitches.

Work 10 rows in rib as given for Back, Using No. 9 Needles, proceed as follows— 1st row—Knit. 2nd row—Purl.

Rep. 1st and 2nd rows once.

5th row—K.2, "Inc.", knit to last 2 sts., "Inc.", K.2. Inc. (as before) in every 10th [B 10th] [C 8th] [D 8th] [E 8th] row until there are 61 [B 75] [C 61] [D 73] [E 83] sts., A, C and D only—then in every following 12th [C 10th] [D 10th] row until there are 71 [C 77] [D 81] sts.

Continue until side edge measures 17 ins. (43 cm) (or length desired) from commencement, finishing with a purl row.

Shape top as follows—

1st and 2nd rows—Cast off 3 sts., work to end. 3rd row—K.2, slip 1, K.1, p.s.s.o., knit to last 4 sts., K.2 tog., K.2.

4th row-Purl. 5th row-Knit.

6th row—P.2, P.2 tog., purl to last 4 sts., P.2 tog.t.b.l., P.2.

7th row-Knit. 8th row-Purl.

Rep. rows 3 to 8 incl. until 35 [B 43] [C 45] [D 53] [E 55] sts. remain, 4th row once, then 3rd and 4th rows until 7 sts. remain.

Work 1 row. Cast off.

### LEFT FRONT BAND.

Using No. 12 Needles, cast on 9 stitches.

1st row—K.2, (P.1, K.1) 3 times, K.1.

2nd row-K.1, (P.1, K.1) 4 times. \*\*

Rep. 1st and 2nd rows 139 times.

Break off yarn and leave sts. on a stitch holder.

### RIGHT FRONT BAND.

Work as given for Left Front Band to \*\*.

3rd row-Rib 4, cast off 2 sts., rib 3.

4th row—Rib 3, cast on 2 sts., rib. 4.

Rep. 1st and 2nd rows 12 times. Rep. last 26 rows 9 times, then 3rd and 4th rows once. (11 buttonholes.)

Rep. 1st and 2nd rows 8 times, then 1st row once. Do not break off yarn, leave sts. on needle.

### NECKBAND.

Using back-stitch, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline, and sew front bands in position. With right side facing and using No. 12 Needle holding right front band sts., knit up 97 [B 101] [C 105] [D 109] [E 113] sts. evenly around neck, rib across left front band sts. (115 [B 119] [C 123] [D 127] [E 131] sts.)

1st row—K.1, \* P.1, K.1, rep. from \* to end.

2nd row—K.2, \* P.1, K.1, rep. from \* to last st., K.1. Rep. 1st and 2nd rows 4 times, working a buttonhole (as before) in 25th and 26th rows from previous buttonhole. Cast off in rib.

### MAKE UP.

**DO NOT PRESS.** Using back-stitch, sew up side and sleeve seams. Sew on buttons.

### These are your next Cedar Knits—

**No. 343 — Family Classic —** Jumpers and Cardigans for Ladies, Men, Boys, Girls; plus a Lady/Man Vest. **price 45c** 

No. 344—For Men only—This book features Jumpers, Vests, a Cardigan and a Waistcoat price 40c

No. 345—For Girls and Boys—Jumpers, Cardigans, Vest, Pinafore, Jacket, Pants and Skirt price 40c



Back Cover-Singlet with wide square neckline. Features a broken rib pattern all-over, and waistline shaping.

No. 5—Singlet (above)

### **CAUTION!**

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

		Α	В	С	D	Ε
Fits bust	ins.	31	33	35	37	39
	cm	79	84	89	94	99
Measures	ins.	30	32	34	36	38
	cm	76	81	86	91	97
Quantity — 50 g	balis	3	4	4	5	5
Length 50 g	balls ———ins.	20			203/4	

NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters .... 1 pair No. 10 
 Average Knitters
 ....
 ....
 ....
 1 pair No.
 9

 Tight Knitters
 ....
 ....
 ....
 1 pair No.
 8

Needles in instructions are for Average Knitters.

Milward Tapestry Needle for sewing seams.

### ABBREVIATIONS—See page 19.

Instructions are for size A. Sizes B, C, D and E are shown [B...] [C...] [D...] [E...]. Where one set of figures is given, this applies to all sizes.

-111/2 stitches to 2 ins. (5 cm).



Needle size
depends on your
tension which
should be 11½
stitches to 2 in.
(5 cm) in width
measured over
plain smooth fabric page 19

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 9 Needles, cast on 91 [**B** 97] [**C** 103] [**D** 109] [**E** 115] stitches.

1st row—K.2, \* P.1, K.1, rep. from \* to last st., K.1. 2nd row—K.1, \* P.1, K.1, rep. from \* to end. 3rd and 4th rows—Knit.

Rows 1 to 4 incl. form patt. Work 3 rows in patt. Keeping continuity of patt., dec. at each end of next row and every following 6th row twice, then in every following 4th row 6 times. (73 [B 79] [C 85] [D 91]

Inc. at each end of every 6th row 9 times. (91 [B 97]

[C 103] [D 109] [E 115] sts.)

Work 15 rows.

Shape armholes and neck as follows-

**1st row**—Cast off 7 [**B** 7] [**C** 8] [**D** 9] [**E** 10] sts., patt. 20 [**B** 22] [**C** 23] [**D** 24] [**E** 25], cast off 37 [**B** 39] [**C** 41] [**D** 43] [**E** 45] sts., patt. to end.

**2nd row**—Cast off 7 [**B** 7] [**C** 8] [**D** 9] [**E** 10] sts., patt. to last 2 sts., work 2 tog.

Dec. at armhole edge in next row and every alt. row 6 [B 7] [C 8] [D 9] [E 10] times, whilst at same time dec. at neck edge in every row 4 times. (8 [B 9] [C 9] [D 9] [E 9] sts.)

Work 35 rows in patt. Cast off.

Join yarn to remaining sts. and work to correspond with other side.

FRONT-Work as given for Back.

### MAKE UP.

**DO NOT PRESS**—Using back-stitch, sew up side and shoulder seams.

### No. 6-Tunic (opposite)

### CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

Fits bust Measures			ins. cm ins. cm	<b>A</b> 30 76 30 76	<b>B</b> 32 81 32 81	C 34 86 34 86	<b>D</b> 36 91 36 91	8 97 38 97
Quantity -	<b>—</b> 5	0 g b	alls	11	11	12	12	13
Length			ins. cm	37 94	37 94	37 94	37¾ 97	38 97

NEEDLES-Milward "Disc" or Patons "Beehive".

Loose Knitters .... 1 pair each Nos. 10 and 13
Average Knitters .... 1 pair each Nos. 9 and 12
Tight Knitters .... .... 1 pair each Nos. 8 and 11

Needles in instructions are for Average Knitters.

A Cable Needle. A Stitch Holder.

Milward Tapestry Needle for sewing seams.

3 Buttons.

### ABBREVIATIONS—See page 19.

"Cable 4" = Slip next 2 sts. on to cable needle and leave at front of work, K.2, then K.2 from cable needle.

"Cable 8" = Slip next 4 sts. on to cable needle and leave at front of work, K.4, then K.4 from cable needle.

Instructions are for size **A**. Sizes **B**, **C**, **D** and **E** are shown  $[\mathbf{B}\ldots]$   $[\mathbf{C}\ldots]$   $[\mathbf{D}\ldots]$   $[\mathbf{E}\ldots]$ . Where one set of figures is given, this applies to all sizes.

### TENSION-111/2 stitches to 2 ins. (5 cm).



Needle size
depends on your
tension which
should be 11½
stitches to 2 in.
(5 cm) in width
measured over
plain smooth fabric

See also page 19 NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 9 Needles, cast on 168 [**B** 174] [**C** 180] [**D** 186] [**E** 192] stitches.

1st row-K.2, \* P.1, K.1, rep. from \* to end.

Rep. 1st row 5 times.

Work patt, as follows-

1st row—K.27 [B K.28] [C K.30] [D K.31] [E K.33] (P.2, K.1, P.1, K.4, P.1, K.1, P.2, K.6) twice, K.48 [B K.52] [C K.54] [D K.58] [E K.60], (P.2, K.1, P.1, K.4, P.1, K.1, P.2, K.6) twice, K.21 [B K.22] [C K.24] [D K.25] [E K.27].

2nd and alt. rows—Knit all knit sts. and purl all purl sts. as they appear.

**3rd row**—K.27 [**B** K.28] [**C** K.30] [**D** K.31] [**E** K.33], (P.2, K.1, P.1, "Cable 4", P.1, K.1, P.2, K.6) twice, K.48 [**B** K.52] [**C** K.54] [**D** K.58] [**E** K.60], (P.2, K.1, P.1, "Cable 4", P.1, K.1, P.2, K.6) twice, K.21 [**B** K.22] [**C** K.24] [**D** K.25] [**E** K.27].

5th row—As 1st row.

7th row—As 3rd row.

9th row—As 1st row.

11th row—(Knit to within 2 sts. of cable panel, slip 1, K.1, p.s.s.o., P.2, K.1, P.1, "Cable 4", P.1, K.1, P.2, K.6, P.2, K.1, P.1, "Cable 4", P.1, K.1, P.2, K.2 tog.) twice, knit to end.

12th row—As 2nd row.

Work 6 rows.

19th row—(Knit to cable panel, P.2, "Cable 8", P.2, K.6, P.2, "Cable 8", P.2) twice, knit to end.

20th row—As 2nd row.

Work 2 rows.

23rd row—(Knit to within 2 sts. of cable panel, slip 1, K.1, p.s.s.o., P.2, K.1, P.1, K.4, P.1, K.1, P.2, K.6, P.2, K.1, P.1, K.4, P.1, K.4, P.1, K.1, P.2, K.2 tog.) twice, knit to end. 24th row—As 2nd row.

Rows 1 to 24 incl. form patt., noting that decs. were worked in 11th and 23rd rows.

Keeping continuity of patt., dec. in every 12th row from previous dec. until 100 [B 106] [C 112] [D 118] [E 124] sts remain.



Back Cover—Sleek cabled tunic knitted in plain smooth fabric outlined with cables at sides of front and back. U-neckline with shirt opening. K.1, P.1 rib on all bands.

Continue without shaping until work measures 29 ins. (74 cm) from commencement, working last row on wrong side.

Shape armholes as follows-

Cast off 6 [**B** 6] [**C** 7] [**D** 7] [**E** 8] sts. at beg. of next 2 rows, then dec. at each end of every row until 60 [**B** 62] [**C** 64] [**D** 66] [**E** 68] sts. remain. Patt. 48 [**B** 48] [**C** 49] [**D** 49] [**E** 50] rows.

Shape back neck as follows-

1st row—Patt. 16 [B 16] [C 17] [D 18] [E 18], cast off 28 [B 30] [C 30] [D 30] [E 32] sts., patt. to end. Continue on last 16 [B 16] [C 17] [D 18] [E 18] sts., dec. at neck edge in every row 4 times. (12 [B 12] [C 13] [D 14] [E 14] sts.)

Work 1 row. Cast off.

Join yarn to remaining sts, and complete to correspond with other side.

### FRONT.

Work as given for Back until there are 28 rows less than Back to underarm.

Divide for front opening as follows-

1st row—Patt. 47 [B 50] [C 53] [D 56] [E 59], cast off 6 sts., patt. to end.

Work 28 rows on last 47 [B 50] [C 53] [D 56] [E 59] sts. Shape armhole and neck as follows—

**1st row**—Cast off 6 [**B** 6] [**C** 7] [**D** 7] [**E** 8] sts., patt. to end.

2nd row—Cast off 3 sts., patt. to last 2 sts., work 2 tog.
Dec. at armhole edge in every row 13 [B 15] [C 16]
[D 18] [E 19] times, whilst at same time dec. at neck edge in every alt. row 7 [B 8] [C 8] [D 9] [E 10] times.
(17 [B 17] [C 18] [D 18] [E 18] sts.)

Dec. at neck edge only in every 4th row 5 [B 5] [C 5] [D 4] [E 4] times. (12 [B 12] [C 13] [D 14] [E 14] sts.)

Work 33 [B 33] [C 35] [D 39] [E 39] rows. Cast off. Join yarn to remaining sts. and complete to correspond with other side.

### LEFT FRONT BAND.

Using No. 12 Needles, cast on 9 stitches.

1st row-K.2, (P.1, K.1) 3 times, K.1.

2nd row-K.1, (P.1, K.1) 4 times. \*\*

Rep. 1st and 2nd rows 15 times.

Break off yarn and leave sts. on stitch holder.

### RIGHT FRONT BAND.

Work as given for Left Front Band to \*\*.

Rep. 1st and 2nd rows 4 times.

Next row-Rib 4, cast off 2 sts., rib 3.

Next row-Rib 3, cast on 2 sts., rib. 4.

Rep. last 12 rows once.

Rib 9 rows.

Do not break off yarn, leave sts. on needle.

### NECKBAND.

Using back-stitch, sew up shoulder seams and sew front bands in position. With right side facing and using No. 12 Needle holding right front band sts.,

knit up 141 [**B** 145] [**C** 149] [**D** 153] [**E** 157] sts. evenly around neck, then rib across sts. from left front band. (159 [**B** 163] [**C** 167] [**D** 171] [**E** 175] sts.)

1st row-K.1, \* P.1, K.1, rep. from \* to end.

**2nd row**—K.2, P.1, K.1, cast off 2 sts., \* P.1, K.1, rep. from \* to last st., K.1.

3rd row—Rib to last 4 sts., cast on 2 sts., rib to end. Work 2 rows. Cast off in rib.

### ARMHOLE BANDS.

With right side facing and using No. 12 Needles, knit up 105 [B 109] [C 113] [D 117] [E 121] sts. evenly around armhole.

1st row—K.1, \* P.1, K.1, rep. from \* to end.

2nd row—K.2, \* P.1, K.1, rep. from \* to last st., K.1. Rep. 1st and 2nd rows once, then 1st row once. Cast off in rib.

### MAKE UP.

**DO NOT PRESS.** Using back-stitch, sew up side seams. Slip-stitch ends of front bands in position. Sew on buttons.

### No. 7-Vest (opposite)

### **CAUTION!**

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

		A	В	С	D
	ins.	30	33	36	39
	cm	76	84	91	99
	ins.	29	32	35	38
	cm	74	81	89	97
 50 g t	oalls	5	5	5	6
 	ins.	21	211/4	21¾	22
	cm	53	54	55	56
		cm ins. cm 50 g balls ins.	ins. 30 cm 76 ins. 29 cm 74 50 g balls 5 ins. 21	ins. 30 33 cm 76 84 ins. 29 32 cm 74 81 50 g balls 5 5 ins. 21 211/4	ins. 30 33 36 cm 76 84 91 ins. 29 32 35 cm 74 81 89 50 g balls 5 5 5 ins. 21 211/4 213/4

### NEEDLES—Milward "Disc" or Patons "Beehive". Loose Knitters—

1 pair each Nos. 10 and 13, 1 set of No. 13 Average Knitters—

1 pair each Nos. 9 and 12, 1 set of No. 12 Tight Knitters—

1 pair each Nos. 8 and 11, 1 set of No. 11

Needles in instructions are for Average Knitters.

1 Cable Needle.

2 Stitch Holders.


Milward Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. "Cable 6" = Slip next 3 sts. on to cable needle and leave at front of work, K.3, then knit 3 from cable needle.

"Inc." = Pick up loop which lies before next st., place on left hand needle and knit t.b.l.

Instructions are for size A. Sizes B, C, and D are shown  $[B\ldots]$   $[C\ldots]$   $[D\ldots]$ . Where one set of figures is given, this applies to all sizes.

### TENSION-111/2 stitches to 2 ins. (5 cm).



Needle size depends on your tension which should be 11½ stitches to 2 in. (5 cm) in width measured over plain smooth fabric See also page 19

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### BACK.

Using No. 12 Needles, cast on 90 [**B** 98] [**C** 106] [**D** 114] stitches.

1st row-P.2, \* K.2, P.2, rep. from \* to end.

2nd row-K.2, \* P.2, K.2, rep. from \* to end.

Rep. 1st and 2nd rows 17 times.

Using No. 9 Needles, proceed as follows-

1st row—K.16 [B K.20] [C K.24] [D K.24], P.2, K.6, P.2, K.14 [B K.14] [C K.14] [D K.18], P.2, K.6, P.2, K.14 [B K.14] [C K.14] [D K.18], P.2, K.6, P.2, K.16 [B K.20] [C K.24] [D K.24].

2nd row—Knit all knit sts. and purl all purl sts. as they appear.

3rd row—K.16 [B K.20] [C K.24] [D K.24], P.2, "Cable 6", P.2, K.14 [B K.14] [C K.14] [D K.18], P.2, "Cable 6", P.2, K.14 [B K.14] [C K.14] [D K.18], P.2, "Cable 6", P.2, K.16 [B K.20] [C K.24], D. K.24].

\*\* Rep. 2nd row once, then 1st and 2nd rows twice. 9th row—As 3rd row.

Rep. 2nd row once, then 1st and 2nd rows 5 times. 21st row—As 3rd row. \*\*

Rep. from \*\* to \*\* until work measures 14 ins. (36 cm) from commencement, working last row on wrong side.

Keeping continuity of patt., shape armholes as follows—Cast off 7 [**B** 8] [**C** 9] [**D** 10] sts. at beg. of next 2 rows, then dec. at each end of next and every alt. row until 60 [**B** 62] [**C** 66] [**D** 70] sts. remain.

Work 37 [B 35] [C 37] [D 37] rows in patt.

Shape back neck as follows-



Front Cover—Slim fitted vest with wide scoop neckline. Knitted in plain smooth fabric with 3 cables at front and back. Edges finished with K.2, P.2 rib.

1st row—Patt. 15 [B 15] [C 17] [D 18], turn.

Continue on these 15 [**B** 15] [**C** 17] [**D** 18] sts., dec. at neck edge in every alt. row 3 times. (12 [**B** 12] [**C** 14] [**D** 15] sts.)

Work 1 row. Cast off.

Slip next 30  $[\mathbf{B}\ 32]\ [\mathbf{C}\ 32]\ [\mathbf{D}\ 34]$  sts. on to a stitch holder and leave.

Join yarn to remaining sts. and work to correspond with other side.

### FRONT.

Work as given for Back until there are 18 rows less than back to underarm.

Keeping continuity of patt., shape neck as follows— 1st row—Patt. 38 [B 42] [C 46] [D 50], turn.

Continue on last 38 [**B** 42] [**C** 46] [**D** 50] sts., dec. at neck edge in every alt. row 6 times, then in following 4th row. (31 [**B** 35] [**C** 39] [**D** 43] sts.)

Work 1 row.

Shape armhole as follows-

1st row—Cast off 7 [B 8] [C 9] [D 10] sts., patt. to end. Dec. at armhole edge in every alt. row 8 [B 10] [C 11] [D 12] times, whilst at same time dec. at neck edge in every 4th row from previous dec. 4 [B 5] [C 5] [D 6] times. (12 [B 12] [C 14] [D 15] sts.)

Work 45 [B 43] [C 45] [D 45] rows. Cast off.

Slip next 14 sts. on to stitch holder and leave.

Join yarn to remaining sts. and work to correspond with other side.

### NECKBAND.

Using back-stitch, sew up shoulder seams.

With right side facing, commencing at left side of back neck and using set of No. 12 Needles, knit up 66 [B 69] [C 73] [D 76] sts. evenly along left side of neck, patt. across sts. on front neck stitch holder, knit up 66 [B 69] [C 73] [D 76] sts. evenly along right side

of neck, patt. across back neck sts. (176 [**B** 184] [**C** 192] [**D** 200] sts.)

**1st round**—P.2, K.2 [**B** P.1, K.2] [**C** P.1, K.2] [**D** K.2], \* P.2, K.2, rep. from \* to last 4 [**B** 1] [**C** 1] [**D** 2] st./s., P.2, K.2 [**B** P.1] [**C** P.1] [**D** P.2].

Rep. 1st round 4 times. Cast off in rib.

### ARMHOLE BANDS.

Using back-stitch, sew up side seams. With right side facing, commencing at side seam and using set of No. 12 Needles, knit up 108 [**B** 116] [**C** 120] [**D** 128] sts. evenly around armhole.

1st round-\* K.2, P.2, rep. from \* to end.

Rep. 1st round 4 times. Cast off in rib.

DO NOT PRESS.

### No. 8—Suit (opposite)

### CAUTION!

This garment has been designed exclusively for Patons yarns; therefore we can take no responsibility if other yarns are used.

### **PATONS CEDAR**

		A	В	С	D	Ε	F
Fits bust	ins.	32	34	36	38	40	42
	cm	81	86	91	97	102	107
Measures	ins.	33	35	37	39	41	43
	cm	84	89	94	99	104	109
Jacket—							
Cedar 50 g b	alls	8	9	9	10	10	10
Totem 1 oz. l	oalls	3	3	3	3	3	3
or 25 g l	alls	4	4	4	4	4	4
Skirt—							
Cedar 50 g l	oalis	7	7	8	8	9	9
Totem 1 oz. l		2	2	2	2	2	2
or 25 g l	oalls	3	3	3	3	3	3
Jacket—							
Length	ins.	22	221/4	221/2	22¾	23	231/4
_	cm	56	57	57	58	58	59
Sleeve seam	ins.	17	17	17	17	17	17
	cm	43	43	43	43	43	43
			(or	length	desi	red)	
Skirt—							
Length	ins.	22	221/2		231/2		24
	cm	56	57 (or	58 length	60 desi	61 red)	61

### NEEDLES—Milward "Disc" or Patons "Beehive".

Loose Knitters	 		 1	pair	No.	10
Average Knitters	 		 1	pair	No.	9
Tight Knitters	 	••••	 1	pair	No.	8

Needles in instructions are for Average Knitters.

Milward Tapestry Needle for sewing seams.

Milward "Disc" Crochet Hook, 3.50 (No. 9).

12 Buttons for Jacket,

6-inch (15 cm) 'Lightning' Zipper (Gold Pack) for Skirt. 4 yds. (4 m) Round Elastic for waist of Skirt.


### ABBREVIATIONS-see page 19.

M. = Cedar. C. = Totem.

"Inc." = Pick up loop which lies before next st., place on left hand needle and knit t.b.l.

Instructions are for size A. Sizes B, C, D, E and F are shown  $[B\ldots][C\ldots][D\ldots][E\ldots][F\ldots]$  [F...]. Where one set of figures is given, this applies to all sizes.

### TENSION-111/2 stitches to 2 ins. (5 cm).



Needle size
depends on your
tension which
should be 11½
stitches to 2 in.
(5 cm) in width
measured over
plain smooth fabric
See also
page 19

NOTE: To obtain the best results, we recommend working from two balls of yarn. Work two rows from the first ball, two rows from the second ball, then two rows from the first ball, etc.

### JACKET.

### BACK.

Using No. 9 Needles and M., cast on 103 [B 109] [C 115] [D 120] [E 126] [F 132] stitches.

1st row-Knit. 2nd row-Purl.

Rep. 1st and 2nd rows once.

5th row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], K.2 tog., K.59 [B K.63] [C K.67] [D K.70] [E K.74] [F K.78], slip 1, K.1, p.s.s.o., K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25].

Rep. 2nd row once, then 1st and 2nd rows once.

9th row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], K.2 tog., K.57 [B K.61] [C K.65] [D K.68] [E K.72] [F K.76], slip 1, K.1, p.s.s.o., K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25].

Continue dec. (as before) in every 4th row until 79 [B 85] [C 91] [D 96] [E 102] [F 108] sts. remain, then in every alt. row until 73 [B 79] [C 85] [D 90] [E 96] [F 102] sts. remain.

Work 5 rows.

Next row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25] "Inc.", K.33 [B K.37] [C K.41] [D K.44] [E K.48] [F K.52], "Inc.", K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25].

Work 3 rows.

Next row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], "Inc.", K.35 [B K.39] [C K.43] [D K.46] [E K.50] [F K.54], "Inc.", K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25].

Continue inc. (as before) in every 4th row until there are 97 [B 103] [C 109] [D 114] [E 120] [F 126] sts. Continue without shaping until work measures 13¼ ins. (34 cm) from commencement, finishing with a purl row.

Shape armholes as follows-

Cast off 5 [B 6] [C 7] [D 7] [E 8] [F 9] sts. at beg. of next 2 rows, then dec. at each end of next and every alt. row until 73 [B 77] [C 79] [D 82] [E 84] [F 86] sts. remain.

Work 53 [**B** 55] [**C** 55] [**D** 55] [**E** 55] [**F** 55] rows. Shape shoulders as follows—

Cast off 8 [B 8] [C 8] [D 9] [E 9] [F 9] sts, at beg, of next 4 rows, then 7 [B 8] [C 9] [D 8] [E 8] [F 9] sts, at beg, of following 2 rows. Cast off.



Front Cover—Elegant revered suit. Knitted in plain smooth fabric with all edging (including pocket tops and sleeve tabs) in Totem d.c. Revers are worked with front. Pockets are sewn on. Waistband of skirt is elasticised and zipped.

### LEFT FRONT.

Using No. 9 Needles and M., cast on 51 [B 54] [C 57] [D 59] [E 62] [F 65] stitches.

1st row—Knit.

2nd row-Purl.

Rep. 1st and 2nd rows once. \*\*

5th row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F 25], K.2 tog., K.29 [B K.31] [C K.33] [D K.34] [E K.36] [F K.38].

Work 3 rows.

9th row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], K.2 tog., K.28 [B K.30] [C K.32] [D K.33] [E K.35] [F K.37].

Continue dec. (as before) in every 4th row until 39 [B 42] [C 45] [D 47] [E 50] [F 53] sts. remain, then in every alt. row until 36 [B 39] [C 42] [D 44] [E 47] [F 50] sts. remain.

Work 5 rows.

Next row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], "Inc.", K.16 [B K.18] [C K.20] [D K.21] [E K.23] [F K.25].

Work 3 rows.

Next row—K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25], "Inc.", K.17 [B K.19] [C K.21] [D K.22] [E K.24] [F K.26].

Continue inc. (as before) in every 4th row until there are 48 [B 51] [C 54] [D 56] [E 59] [F 62] sts.

Continue without shaping until work measures 13¼ ins. (34 cm) from commencement, finishing with a purl row. Shape armhole and work rever as follows—

**1st row**—Cast off 5 [**B** 6] [**C** 7] [**D** 7] [**E** 8] **F** 9] sts., knit to last st., "Inc." P.1.

2nd and 4th rows—K.2, purl to end.

3rd row-K.2 tog., knit to last 2 sts., P.2.

5th row-K.2 tog., knit to last 3 sts., "Inc.", P.3.

6th and 8th rows-K.4, purl to end.

7th row-K.2 tog., knit to last 4 sts., P.4.

9th row-K.2 tog., knit to last 5 sts., "Inc.", P.5.

Dec. at armhole edge in every alt, row 3 [B 3] [C 4] [D 5] [E 6] [F 7] times, whilst at same time inc. and working 2 extra sts. into purl fabric for rever (as before) in every 4th row 2 [B 5] [C 5] [D 3] [E 3] [F 4] times, then in every following 6th row 8 [B 6] [C 6] [D 8] [E 9] [F 8] times. (49 [B 52] [C 53] [D 54] [E 56] [F 57] sts.)

Work 3 [B 5] [C 7] [D 5] [E 1] [F 5] row/s, keeping rever correct.

Shape shoulder as follows-

Cast off 8 [ B 8] [C 8] [D 9] [E 9] [F 9] sts. at beg. of next row and following alt, row.

Work 1 row. Cast off.

RIGHT FRONT—Work as given for Left Front to \*\*. 5th row—K.29 [B K.31] [C K.33] [D K.34] [E K.36] [F K.38], slip 1, K.1, p.s.s.o., K.20 [B K.21] [C K.22] [D K.23] [E K.24] [F K.25].

Complete to correspond with Left Front.

Using No. 9 Needles and M., cast on 49 [B 49] [C 51] [D 51] [E 53] [F 53] stitches.

1st row—Knit. 2nd row—Purl.

Rep. 1st and 2nd rows 13 times.

29th row—K.2, "Inc.", knit to last 2 sts., "Inc.", K.2. Inc. (as before) in every 8th [B 6th] [C 6th] [D 6th] [E 6th] [F 4th] row until there are 69 [B 55] [C 63] [D 79] [E 81] [F 73] sts., [B, C and F only—then in every following [B 8th] [C 8th] [F 6th] row until there are [B 71] [C 75] [F 85] sts.]

Continue until side edge measures 161/2 ins. (42 cm) (or  $\frac{1}{2}$  inch (1.5 cm) less than length desired) from commencement, finishing with a purl row.

Shape top as follows-

Cast off 3 [B 3] [C 3] [D 4] [E 4] [F 4] sts. at beg. of next 2 rows.

Dec. at each end of next and every alt. row until 23 [B 23] [C 27] [D 27] [E 27] [F 31] sts. remain, then in every row until 17 sts. remain. Cast off.

### POCKETS (Make 3).

Using No. 9 Needles and M., cast on 18 stitches.

1st row—Knit. 2nd row—Purl.

Rep. 1st and 2nd rows 10 times. Cast off.

### MAKE UP

DO NOT PRESS. Using back-stitch, sew up side and sleeve seams and shoulder seams leaving revers free. Sew in sleeves, matching seams. With right side facing, commencing at left side seam, and using 3.50 (No. 9) Hook and M., work 1 row d.c. evenly around all outside edges, sl.st. in first d.c., turn. Break of M.

2nd row-Using C., 1 ch., 1 d.c. in each d.c. to end, working 3 d.c. in 1 d.c. at corners, sl.st. in 1 ch. at beg. of row, turn.

Mark positions of 8 buttonholes evenly along right front, placing top marker 2 d.c. from beg. of rever, bottom marker at lower edge and spacing others evenly between.

3rd row-1 ch., 1 d.c. in each d.c. to lower right corner, 3 d.c. in next d.c., \* 2 ch., miss 2 d.c., 1 d.c. in each d.c. to next marker, rep. from \* to last marker, 2 ch., miss 2 d.c., 1 d.c. in each d.c. to end, working 3 d.c. in 1 d.c. at corners, sl.st, in 1 ch, at beg, of row, turn.

4th row-1 ch., 1 d.c. in each d.c. or ch. to end, working 3 d.c. in 1 d.c. at corners.

5th row-As 2nd row. Fasten off.

### POCKET TOPS.

With right side facing, using 3.50 (No. 9) Hook and M., work 1 row d.c. across cast-off sts. of pocket. Using C., 2nd row-1 ch., 1 d.c. in each d.c. to end. Rep. 2nd row 3 times. Fasten off.

### SLEEVE EDGES.

Work 1 row M., then 3 rows C. in d.c. evenly around lower edges of sleeves, joining with a "sl.st., turn" at end of each row.

### SLEEVE TABS (Make two).

Using 3.50 (No. 9) Hook and C., make 11 chain. 1st row—Miss 1 ch., 1 d.c. in each ch. to end. (10 d.c.)

2nd row-1 ch., 1 d.c. in each d.c. to end.

Rep. 2nd row 3 times. Fasten off.

Slip-stitch tabs in position and sew 2 buttons on each tab. Sew buttons on front band. Slip-stitch pockets in position.

### SKIRT.

### BACK.

Using No. 9 Needles and M., cast on 73 [B 79] [C 85] [D 90] [E 96] [F 102] stitches.

1st row—Knit. 2nd row—Purl.

Rep. 1st and 2nd rows once.

5th row—K.24 [B K.26] [C K.28] [D K.30] [E K.32] [F K.34], "Inc.", knit to last 24 [B 26] [C 28] [D 30] [E 32] [F 34] sts., "Inc.", knit to end.

Rep. last 4 rows until skirt measures 21 [B 211/2] [C 22] [D 221/2] [E 23] [F 23] ins. (53 [B 55] [C 56] [D 57] [E 58] [F 58] cm) (or 1 inch (2.5 cm) less than length desired). Cast off.

FRONT—Work as given for Back.

### MAKE UP.

DO NOT PRESS. Using back-stitch, sew up side seams, leaving a 51/2-inch (14 cm) opening at top of left side seam.

Using 3.50 (No. 9) Hook and M., work 1 row d.c. around lower edge, then 4 rows C., ending each row "sl.st. in 1 ch. at beg. of row, turn".

Using 3.50 (No. 9) Hook and working over elastic, work 1 row d.c. in M. around waist, then 4 rows C. Sew in zip.

### WASHING YOUR HAND-KNITTED GARMENTS

BEFORE WASHING-Make any needed repairs. Remove any unwashable buttons or trimmings, close zips.

WASHING—Washing powders approved by the Australian Wool Board should be used for washing handknitted garments. Powders should be fully dissolved before immersing garment. Squeeze the garment gently in the suds; do not rub.

A heavy soil mark can be treated before washing the whole garment by damping the area and pressing in some powder with your fingers.

RINSING—Rinse garment thoroughly in warm (not cold) water, until the water is clear. Support your garment with both hands whenever you lift it to prevent stretching.

DRYING—After the last rinse, spin dry the garment or squeeze it between towels to remove excess water. Dry naturally on a flat surface out of direct sunlight. Never hang a hand-knitted garment.

PRESSING—Never press synthetics. Wool garments should be pressed with a warm iron and a slightly damp cloth.

### Variations in specified yarn quantities for garments.

Knitters occasionally comment that the quantity of yarn recommended for a garment varies from the amount they actually use. One major reason for this is that no two people knit or crochet in exactly the same way.

When we specify a quantity of yarn for a particular garment, we are stating a figure that is the end result of having each individual design made by as many as six different knitters. The average quantity determined by this check knitting is regarded as the most satisfactory figure for that particular garment, knitted at the **correct tension**\* to the measurements specified and in the actual yarn recommended. Naturally, if you decide to change the body or sleeve length you must allow for an adjustment to the quantity of yarn.

\*Correct tension — see tension instructions illustrated in this book.

### **SOME IMPORTANT HINTS**

### IMPORTANT - DYE LOTS!

Always buy enough of the same dye lot at the one time for a complete garment, as a variation between dye lots can occur.

Retain ball bands until the garment is completely knitted, and, in the event of an enquiry concerning the purchase, submit all ball bands.

### SUCCESSFUL RESULTS DEPEND ON CORRECT TENSION!

To knit garments you'll be proud of, always make a Tension Test. Correct tension brings out a further benefit of Patons exclusive Patonising process. You'll find your knitteds have maximum resistance to pilling as well as shrinkage. So you're sure of knitteds looking fresh and new through wash after wash.

Tension Test: Before you start knitting take the yarn and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches. Count the exact number of stitches to 2 ins. (5 cm) and compare with the tension given in the instructions. If your tension is too loose, try a size finer needle. If it's too tight, try a size larger needle. If more than one size of needle is recommended in the knitting instructions, and you have altered your needles to correct the tension, corresponding alterations must be made to needles throughout the instructions.

### ABBREVIATIONS used in KNITTING

2

3

5

6

7

9

10

11

12

13

14

15

16

17

18

19

20 8

22

23

24

7

8 3

K. - Knit. P. - Purl. sts. - stitches. tog. - together. alt. - alternate. p.s.s.o. - pass slip stitch over. ins. - inches. rep. - repeat. inc. - increase or increasing. patt. - pattern. t.b.l. - through back of loop. beg. - beginning. dec. - decrease or decreasing. incl. - inclusive. y.fwd. - yarn forward. y.r.n. - yarn round needle. y.o.n. - yarn over needle. y.bk. - yarn back, y.ft. - yarn front. cm - centimetres.

Garter Stitch - every row knit. When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

### **ABBREVIATIONS used in CROCHET**

Ch. - chain. sp. - space. s.c. - single crochet. sl.st. slip stitch. d.c. - double crochet. y.o.h. - yarn over hook. h.tr. - half treble-pass yarn round hook, draw a loop through next ch., draw a loop through all 3 loops on hook. tr. - treble-pass yarn round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, then draw another loop through 2 remaining loops. d.tr. - double treble-pass yarn twice round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops. t.tr. - triple treble-pass yarn three times round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through next 2 loops, then another through last 2 loops.

PLEASE NOTE—Every effort is made to ensure that all Patons Knitting and Crochet instructions are correct in every way. If at any time you feel that an instruction is incorrect, or you have difficulty in interpreting it, please contact us, and we will do our best to clarify it for you. Our telephone numbers are — Melbourne, 544-0666; Sydney, 667-0577; Brisbane, 52-7088; Adelaide, 23-4233; Perth, 22-0601. If unable to phone, you can write to us at the address below.

PUBLISHED WITH ALL RIGHTS RESERVED BY COATS PATONS (AUSTRALIA) LTD.

Makers of Coats Sewing Threads and Patons Knitting Yarns

REGISTERED OFFICE: 321-355 FERNTREE GULLY ROAD, MT. WAVERLEY, VICTORIA, 3149. P.O. BOX 110

Trade Marks registered in Australia

1272

Wholly set up and printed in Australia

Book 342 — Page 19



## town n country

Jumpers, Cardigans, Suit, Vest, Tunic and Singlet

